

The North Carolina Granite Corporation

Mt. Airy, NC 1 800 227-6242

Unit Paving



Light Grey

1 1/4" (3 cm) Thickness						
Sizes	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"
Pieces / Pallet	188	125	94	84	62	47

2" (5 cm) Thickness						
Sizes	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"
Pieces / Pallet	120	80	60	50	38	30

* See Notes / Qualifications on final sheet



The North Carolina Granite Corporation

Mt. Airy, NC 1 800 227-6242

Unit Paving



Charcoal

1 1/4" (3 cm) Thickness						
Sizes	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"
Pieces / Pallet	188	125	94	84	62	47

2" (5 cm) Thickness						
Sizes	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"
Pieces / Pallet	120	80	60	50	38	30

* See Notes / Qualifications on final sheet



The
North Carolina Granite Corporation

Mt. Airy, NC 1 800 227-6242

Unit Paving



Buff

1 1/4" (3 cm) Thickness						
Sizes	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"
Pieces / Pallet	188	125	94	84	62	47

2" (5 cm) Thickness						
Sizes	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"
Pieces / Pallet	120	80	60	50	38	30

* See Notes / Qualifications on final sheet



The
North Carolina Granite Corporation
Mount Airy, NC - 800-227-6242

Notes / Qualifications:

1. Sizes listed on the preceding sheets are nominal sizes. Net sizes are as follows:

12" x 12" = 11 7/8" x 11 7/8"

12" x 18" = 11 7/8" x 17 7/8"

12" x 24" = 11 7/8" x 23 7/8"

18" x 18" = 17 7/8" x 17 7/8"

18" x 24" = 17 7/8" x 23 7/8"

24" x 24" = 23 7/8" x 23 7/8"

2. All paving will have a thermal finish on one face; balance will be sawn.

3. Tolerance on thickness will be +/- 1/8".

4. Prices are FOB NCGC plant in Mount Airy, NC (27030).

5. Prices do not include any taxes.

6. Terms are Prepaid or Net 30 Days with approved credit prior to shipment.

7. All prices are subject to change without notice.

8. All color samples represent the color and texture of each stone as closely as possible.

Being a natural product, color may vary throughout the paving. All material color shall be run of the quarry. **Actual samples should be reviewed before purchase.**